

Inspired by the past,
designed for the present.

Fontini

Our History	4
Our Vision	6
The Brand	8
Our Collections	12

Surface-mounted Collection References:

DO	42
GARBY	48
DIMBLER	58

Flush-mounted Collection References:

DO LOW	64
GARBY COLONIAL	68
VENEZIA	74
1950	80

Installation Guide	86
Connection Diagrams and Technical Data	87
Product Dimensions	96
Reference Index	98





Our History

Reinventing electrical components since 1950

The story of Font Design Group is the story of one family and one passion.

More than 70 years ago, Joan Font began marketing his first surface-mounted switches, thus embarking on a project that would go on to have a long history in the electrical material sector.

Since the very beginning, we have focused on doing things differently and paying close attention to every detail. None of this would have been possible without our commitment to innovation, our desire to experiment and our drive to perfect our solutions, improving each day to offer the absolute highest quality products.

Today, Font Design Group is present in more than 60 countries, offering specialist high-end electrical mechanisms through its two main brands:

Fontini, 100% hand-crafted switches made using high-quality natural materials, embracing the value and essence of our past.

Font Barcelona, luxury mechanisms that invite you not only to touch them but also feel them.



A close-up, high-angle view of a black Fontini toilet seat. The seat is made of a dark, polished material, likely black plastic or wood, with a smooth, curved design. A chrome-colored handle is attached to the left side of the seat, extending horizontally. The handle has a circular base and a hexagonal head. The background is plain white.

Fontini

Our Vision

Lighting up the world through design

Our company was founded to share a vision based on the conviction that electrical fittings can also be inspiring.

We see the switch not just as a functional element but also as a decorative piece.

We are a family group with one purpose: light up the world through our vision, brands and designs.

The Brand

Inspired by the past, designing for the present

Due to our strong commitment to authenticity and craftsmanship, we produce our collections by hand in local facilities using natural materials such as porcelain, wood and brass.

We draw inspiration from the past to create timeless switches that will take you back in time.





The various components of our Fontini collections are produced and assembled at our porcelain production centre in Santa Perpètua de Mogoda, Barcelona.

Our mission is to create high-quality, durable products whilst championing the legacy of craftsmanship and promoting local and sustainable manufacturing processes.





DO

Inspired by the iconic GARBY porcelain collection, this is a contemporary version with a minimalist design.

P. 14



GARBY

The traditional retro classic.
The GARBY collection boasts a timeless, nostalgic design, reminiscent of authentic switches in rustic environments.

P. 18



DIMBLER

Based on a simple design with carefully chosen materials, the DIMBLER collection adds exceptional quality and beauty to any space.

P. 22

DO LOW

The simple and straightforward shapes of the DO Collection with a strikingly flat and functional design. Thanks to their recessed installation, these products can be integrated into more contemporary spaces.

P. 26



GARBY COLONIAL

The authenticity and traditional feel of the GARBY collection with added practicality, designed for installation in an universal flush-mounted box.

P. 30



VENEZIA

A versatile and elegant contemporary collection that adds a touch of distinction to even the most classic spaces.

P. 34

1950

Commemorating the very first Fontini series from 1950, this is a reissue of a very special classic to celebrate our brand's history.

P. 38





DO Collection

A contemporary version of the porcelain switch

The DO collection is inspired by the Garby collection's traditional rotary switches while adding new pure shapes, giving it a minimalist design for easy incorporation in any space.

The different available finishes for the brass knobs and screws give it a highly attractive aesthetic.

Combining natural materials such as porcelain, wood or metal, the DO collection features switches in white or black porcelain, together with porcelain and natural wood frames in a range of different finishes.



Find out
more about
DO Collection.

Components and reference numbers: **p. 42.**

Fontini

DO Collection





Right and left pages:

Project: Marina House - Barcelona, Spain
Studio: Cometa architects
Photograph: José Hevia

GARBY Collection

The authentic retro-style icon

The GARBY collection, with its retro design and hand-crafted manufacture, offers a range of switches for rural environments or those seeking a vintage touch in urban settings, recreating the charm of yesteryear through its meticulous design and fine materials.

The porcelain body, robust but delicate in finish and appearance, perfectly matches the rotary knob, also available in wood or brass.

This collection offers great versatility for installation, whether surface-mounted or with a flush-mounted box.



Find out
more about
GARBY Collection.

Components and reference numbers: p. 48.

Fontini

GARBY Collection





Left-hand page:
Project: Jumanji House - Menorca, Spain
Studio: Quintana Partners
Photograph: Montse Garriga Grau

Right-hand page, top:
Project: Le Regrattier apartment - Paris, France
Studio: Mélanie Bianchi Design
Photograph: Madame Bianchi Bianchi

Right-hand page, bottom:
Project: Estudio Quintana - Barcelona, Spain
Studio: Quintana Partners
Photograph: Montse Garriga Grau

DIMBLER Collection

The simplicity and essence of a switch with an unique aesthetic

The DIMBLER collection harks back to a time when switches first began to appear in our homes but incorporates the quality, materials and elegance that was not possible in the past. Intended for occasional and individual use, it preserves the essence of the past while providing the safety of the present.

Designed as a decorative complement, it is available with a 100% porcelain body in black and white or in various finishes combined with brass.

The result is an exceptional design that adds distinction to any space.



Find out
more about
DIMBLER Collection.

Components and reference numbers: p. 58.

Fontini

DIMBLER Collection





Left-hand page:
Project: Private estate - Menorca, Spain
Studio: Maria João Atelier
Photograph: -

Right-hand page:
Project: ABBAYE - Talant, France
Studio: Alexandrine Vaure
Photograph: -



DO LOW Collection

Simplicity with a thin and functional design

The DO LOW collection is inspired by traditional rotary switches and Scandinavian minimalism to produce a design of pure forms.

Its aesthetic makes it easy to incorporate into contemporary spaces. It represents a halfway point between formal authenticity and the use of fine materials.

The brass knobs and screws are functional whilst simultaneously emphasising the collection's unique appearance.

The collection combines natural materials such as porcelain, in black and white, with wood and metal in a range of different finishes.

The DO LOW collection is compatible with universal flush-mounted boxes.



Find out
more about
DO LOW Collection.

Components and reference numbers: p. 64.

Fontini

DO LOW Collection





Left-hand page:
Project: Private estate - Barcelona, Spain
Studio: Nora Arquitectura
Photograph: Ricard López

Right-hand page:
Project: La Maison 1942 - Marseille, France
Studio: ARCHIK, JoBe et Côté Outdoor
Photograph: Florian Touzet

GARBY COLONIAL Collection

A glance towards the past, with as little thickness as possible

Whilst preserving the unique iconic features of GARBY, the GARBY COLONIAL adds the practicality of universal flush-mounted box installation. Tradition and craftsmanship combined with efficient installation.

Porcelain, wood and metal; natural materials that give GARBY COLONIAL its unique, distinctive features.



Find out
more about
GARBY COLONIAL
Collection.

Components and reference numbers: p. 68.

Fontini

GARBY COLONIAL Collection





Left-hand page:
Project: Hotel Soho House - Barcelona, Spain
Studio: -
Photograph: Lluis Echevarria

Right-hand page:
Project: Exclusive Villa - Menorca, Spain
Studio: -
Photograph: -

VENEZIA Collection

Classic forms that grab everyone's attention

With the VENEZIA collection, functionality and style come together to add a touch of elegance to any classic interior design. A collection offering a variety of wood-based designs, shapes and finishes to create an eye-catching aesthetic.

As a universal flush-mounted series, its modular design and wide range of shapes and finishes give it unparalleled versatility.

VENEZIA sets the standard as a contemporary series that adds a touch of distinction to any classic setting.



Find out
more about
VENEZIA Collection.

Components and reference numbers: p. 74.

Fontini

VENEZIA Collection





Right and left pages:

Project: Ajaccio apartment - Córcega, France
Studio: Pause Ajaccienne and UNIK factory store
Photograph: Sylvain Alessandri

1950 Collection

The reissue of a Fontini classic

The 1950 collection was created to celebrate Fontini's 60th birthday. This collection simply exudes glamour, tradition and sophistication.

The 1950 collection replicates the operation and aesthetics of Fontini's very first collection, launched in 1950, but produced to the highest quality standards demanded by today's regulations.



Find out
more about
1950 Collection.

Components and reference numbers: p. 80.

Fontini

1950 Collection





Right and left pages:
Project: House on Green Boulevard
Studio: Ekaterina Kochetkova
Photograph: Evdokia Nenukova

DO Collection | Components

SWITCHES

White porcelain



Black porcelain



KNOBS AND SCREWS

Chrome



Black nickel



Bright copper



Aged brass



Satin gold



PORCELAIN FRAMES

White porcelain



Black porcelain




WOODEN FRAMES

Darkened beech



Natural beech



Walnut




WOODEN BASES

Darkened beech



Natural beech



Walnut




Installation Types and Component Selection


INSTALLATION WITHOUT FLUSH-MOUNTED BOX



With exposed
cable and base




With exposed
conduit and base



INSTALLATION WITH FLUSH-MOUNTED BOX



With universal
flush-mounted
box and frame



DO Collection
Installation Guide



DO Collection

33308--1



Porcelain colour:

17

27

ROTARY SWITCHES 10AX 250Vac



Description	Reference
Two-way switch	33308 - - 1
Double two-way switch*	33302 - - 1
Intermediate switch	33304 - - 1
Double-pole switch	33314 - - 1
Push button 10A*	33328 - - 1
Electric blind switch 6A*	33342 - - 1
Electric blind push button 6A*	33344 - - 1

*Operation diagrams on p. 88.

PUSH BUTTONS 6A 250Vac/24Vdc



Description	Reference
Chrome	
White porcelain	33310112
Black porcelain	33310012
Black nickel	
White porcelain	33310122
Black porcelain	33310022
Bright copper	
White porcelain	33310132
Black porcelain	33310032
Aged brass	
White porcelain	33310142
Black porcelain	33310042
Satin gold	
White porcelain	33310162
Black porcelain	33310062

DIMMERS 250Vac



To be controled with push-button and installed in flush-mounting or junction boxes.	
Description	Reference
Puck housing, incandescent and halogen lamps, 40-500W	37346000
Puck housing, LED 4-350W	37371000
Puck housing, 1-10 V	37372000

NOTE: For wiring diagrams, see pages 88-91, technical data on pages 92-94 and dimensions on page 96.

SOCKETS 16A 250Vac



Description	Reference
German standard 2P+E socket	33212 - - 2
French standard 2P+E socket	33208 - - 2

USB CHARGER SOCKETS 20W



Description	Reference
USB A+A charger socket	33765 - - 2
USB A+C charger socket	33766 - - 2
USB C+C charger socket	33764 - - 2

TELEPHONE, DATA AND TV SOCKETS



Description	Reference
RJ45 CAT 6 UTP socket	33702 - - 2
Double RJ45 CAT 6 UTP socket	33707 - - 2
RJ45 CAT 6A STP socket	33705 - - 2
Dual RJ45 CAT 6A STP socket	33761 - - 2
RJ45 CAT 6A UTP socket	33704 - - 2
R/TV-SAT star socket	33712 - - 2
R/TV-SAT end socket	33711 - - 2
R/TV-SAT intermediate A socket	33713 - - 2
R/TV-SAT intermediate B socket	33714 - - 2

BLANKING PLATES



Description	Reference
With chrome screws	
White porcelain	33656112
Black porcelain	33656012
With black nickel screws	
White porcelain	33656122
Black porcelain	33656022
With bright copper screws	
White porcelain	33656132
Black porcelain	33656032
With aged brass screws	
White porcelain	33656142
Black porcelain	33656042
With satin gold screws	
White porcelain	33656162
Black porcelain	33656062

CABLE OUTLETS Ø 8mm

With chrome screws

- White porcelain 33927112
Black porcelain 33927012


With black nickel screws

- White porcelain 33927122
Black porcelain 33927022


With bright copper screws

- White porcelain 33927132
Black porcelain 33927032


With aged brass screws

- White porcelain 33927142
Black porcelain 33927042


With satin gold screws

- White porcelain 33927162
Black porcelain 33927062

ROTARY KNOBS + SCREWS

Chrome

- 1 pc 33967261
Pack 5 pcs 33967267


Black nickel

- 1 pc 33967301
Pack 5 pcs 33967307


Bright copper

- 1 pc 33967311
Pack 5 pcs 33967317


Aged brass

- 1 pc 33967831
Pack 5 pcs 33967837


Satin gold

- 1 pc 33967841
Pack 5 pcs 33967847


1-gang

2-gang

3-gang
BASES WITH CABLE INLET


33811802

33812802

33813802



33811812

33812812

33813812






33811822

33812822

33813822

Dimensions on p. 96.


1-gang

2-gang

3-gang
WOODEN FRAMES


33801802

33802802

33803802



33801812

33802812

33803812



33801822

33802822

33803822

PORCELAIN FRAMES


33801172

33802172

33803172



33801272

33802272

33803272

Dimensions on p. 96.

CABLE REELS



Reel of H05VV-F textile insulated cable (25m).

Description	Reference
2 x 1.5mm²	
■ Black	33989022
■ White	33989052
■ Marsala	33989082
3 x 1.5mm²	
■ Black	33990022
■ White	33990052
■ Marsala	33990082
3 x 2.5mm²	
■ Black	33991022
■ White	33991052
■ Marsala	33991082
4 x 1.5mm²	
■ Black	33992022
■ White	33992052
■ Marsala	33992082

Please consult local regulations before using these cables.

ACCESSORIES FOR SURFACE-MOUNTED INSTALLATION



Description	Reference
Cable insulator (pack 25 pcs.)	
White porcelain	33913170
Black porcelain	33913270
Junction box Ø 77 x 46mm	
White porcelain	33399172
Black porcelain	33399272
Stainless steel conduit clamp Ø 16mm (pack 25 pcs.)	33816252

REPLACEMENT SCREWS



Description	Reference
M3x18 Torx for power and TV sockets (pack 5 pcs.)	
Chrome ⁽¹⁾	33966262
Black nickel ⁽²⁾	33966302
Bright copper ⁽³⁾	33966312
Aged brass ⁽⁴⁾	33966832
Satin gold ⁽⁵⁾	33966842
RP3,5x12 Torx for switches, USB charger sockets, VDI sockets, cable outlets and blanking plates (pack of 5 pcs.)	
Chrome ⁽¹⁾	33969262
Black nickel ⁽²⁾	33969302
Bright copper ⁽³⁾	33969312
Aged brass ⁽⁴⁾	33969832
Satin gold ⁽⁵⁾	33969842



GARBY Collection | Components


SWITCHES



PORCELAIN KNOBS AND SCREWS



WOODEN KNOBS AND SCREWS



BRASS KNOBS AND SCREWS

Installation Types and Component Selection

WOODEN BASES

Aged beech



Honey-coloured beech



Natural beech



Unvarnished beech

**PORCELAIN FRAMES**

White porcelain



Black porcelain



Decor porcelain



Craquelé porcelain



Coton porcelain



Vert île porcelain



Camille porcelain



Cru porcelain

**WOODEN FRAMES**


Aged beech




Honey-coloured beech



Natural beech



Unvarnished beech




GARBY Collection | Installation Types and Component Selection

INSTALLATION WITHOUT FLUSH-MOUNTED BOX (SWITCHES WITH CABLE INLET)



With exposed cable




Garby mechanism
with cable inlet
(p. 52)

Knob and screws
(p. 54)

Cable and insulator
(p. 56 and 57)



With exposed
cable and frame



Garby mechanism
with cable inlet
(p. 52)

Knob and screws
(p. 54)


Frame
(p. 56)

Adapter for surface-
mounted frame
(p. 56)

Cable and insulator
(p. 56 and 57)



With exposed
conduit and base




Garby mechanism
with cable inlet
(p. 52)


Knob and screws
(p. 54)

Base with conduit inlet
(p. 55)

INSTALLATION WITH FLUSH-MOUNTED BOX (SWITCHES WITHOUT CABLE INLET)



With Garby-Dimbler flush-mounted box



Garby mechanism
without cable inlet
(p. 53)


Knob and screws
(p. 54)

Garby - Dimbler
flush-mounted box
(p. 57)

Accessory for
installing box in
hollow partition wall
(p. 57)



With universal
flush-mounted
box and frame




Garby mechanism
without cable inlet
(p. 53)


Knob and screws
(p. 54)

Frame
(p. 56)

Adapter for
frame with bracket
(p. 56)



With universal
flush-mounted
box and base



Garby mechanism
without cable inlet
(p. 53)

Knob and screws
(p. 54)

Base without
conduit inlet
(p. 55)



GARBY Collection
Installation Guide

GARBY Collection

30308--1



WITH CABLE INLET (INSTALLATION WITHOUT FLUSH-MOUNTED BOX)

ROTARY SWITCHES 10AX 250Vac

Description	Reference
Two-way switch	30308 -- 1
Intermediate switch	30304 -- 1
Double-pole switch	30314 -- 1
Push button 10A*	30328 -- 1
Electric blind switch 6A*	30342 -- 1
Electric blind push button 6A*	30344 -- 1

*Operation diagrams on p. 88.

PUSH BUTTONS 6A 250Vac/24Vdc

Description	Reference
Push button	30312 -- 2
Double push button	30343 -- 2

SOCKETS 16A 250Vac

Description	Reference
2P socket <i>Finishes not available: 85-86-87-88</i>	30205 -- 2
German standard 2P+E socket	30202 -- 2
German standard 2P+E socket with porcelain housing and technopolymer cover <i>Finishes not available: 85-86-87-88</i>	30204 -- 2
French standard 2P+E socket	30211 -- 2
French standard 2P+E socket with porcelain housing and technopolymer cover <i>Finishes not available: 85-86-87-88</i>	30208 -- 2

CABLE OUTLETS Ø 8,5mm

Description	Reference
Cable inlet	30927 -- 2

Certified products.



(INSTALLATION WITH FLUSH-MOUNTED BOX)

WITHOUT CABLE INLET

ROTARY SWITCHES 10AX 250Vac

Description	Reference
Two-way switch	30308 - - 6
Intermediate switch	30304 - - 6
Double-pole switch	30314 - - 6
Push button 10A*	30328 - - 6
Electric blind switch 6A*	30342 - - 6
Electric blind push button 6A*	30344 - - 6

*Operation diagrams on p. 88.

PUSH BUTTONS 6A 250Vac/24V dc

Description	Reference
Push button dome	30310 - - 2
Push button	30312 - - 5
Double push button	30343 - - 5

SOCKETS 16A 250Vac

Description	Reference
German standard 2P+E socket	30202 - - 5
German standard 2P+E socket with porcelain housing and technopolymer cover <i>Finishes not available: 85-86-87-88</i>	30204 - - 5
French standard 2P+E socket	30211 - - 5
French standard 2P+E socket with porcelain housing and technopolymer cover <i>Finishes not available: 85-86-87-88</i>	30208 - - 5

CABLE OUTLETS Ø 8,5mm

Description	Reference
Cable inlet	30927 - - 5

Certified products.

**USB CHARGER SOCKETS** 20W

Description	Reference
USB A+A charger socket	30765 - - 5
USB A+C charger socket	30766 - - 5
USB C+C charger socket	30764 - - 5

TELEPHONE, DATA AND TV SOCKETS

Description	Reference
RJ45 CAT 6 UTP socket	30702 - - 5
Double RJ45 CAT 6 UTP socket	30707 - - 5
RJ45 CAT 6A STP socket	30705 - - 5
Dual RJ45 CAT 6A STP socket	30761 - - 5
RJ45 CAT 6A UTP socket	30704 - - 5
R/TV-SAT star socket	30712 - - 5
R/TV-SAT end socket	30709 - - 5
R/TV-SAT intermediate A socket	30713 - - 5
R/TV-SAT intermediate B socket	30714 - - 5

BLANKING PLATES

Description	Reference
Blanking plate	30656 - - 5

NOTE: See surface-mount installation diagram on p. 87, wiring diagrams on pages 88-91, technical data on pages 92-94 and dimensions on page 96.

PORCELAIN ROTARY KNOBS + SCREWS



WOODEN ROTARY KNOBS + SCREWS



Description	Reference	Description	Reference
White + patinated screws 1 pc Pack 5 pcs	30967171 30967177	Aged beech + patinated screws 1 pc Pack 5 pcs	30967211 30967217
Black + black screws 1 pc Pack 5 pcs	30967271 30967277	Honey-coloured beech + patinated screws 1 pc Pack 5 pcs	30967191 30967197
Coton + patinated screws 1 pc Pack 5 pcs	30967851 30967857	Natural beech + patinated screws 1 pc Pack 5 pcs	30967811 30967817
Vert île + patinated screws 1 pc Pack 5 pcs	30967861 30967867	Unvarnished beech + patinated screws 1 pc Pack 5 pcs	30967001 30967007
Camille + patinated screws 1 pc Pack 5 pcs	30967871 30967877		
Cru + patinated screws 1 pc Pack 5 pcs	30967881 30967887		
Retro white + patinated screws 1 pc Pack 5 pcs	30930171 30930177		
Retro black + black screws 1 pc Pack 5 pcs	30930271 30930277		

BRASS ROTARY KNOBS + SCREWS



Description	Reference
Bright copper + copper screws 1 pc Pack 5 pcs	30967311 30967317
Black nickel + black screws 1 pc Pack 5 pcs	30967301 30967307
Aged brass + patinated screws 1 pc Pack 5 pcs	30967831 30967837
Chrome + chrome screws 1 pc Pack 5 pcs	30967261 30967267

WOODEN BASES

WITHOUT CONDUIT INLET



1-gang



2-gang



3-gang

Aged beech	30801212	30802212	30803212
Honey-coloured beech	30801192	30802192	30803192
Natural beech	30801812	30802812	30803812
Unvarnished beech	30801002	30802002	30803002


Dimensions on p. 96.

WOODEN BASES

WITH 1 CONDUIT INLET




1-gang




2-gang



2-gang



3-gang



3-gang

Aged beech	30821212	30822212	30832212	30823212	30833212
Honey-coloured beech	30821192	30822192	30832192	30823192	30833192
Natural beech	30821812	30822812	30832812	30823812	30833812
Unvarnished beech	30821002	30822002	30832002	30823002	30833002


Outlet for Ø 16-20mm pipes. Further dimensions on page 96.

WOODEN BASES


WITH 2 CONDUIT INLETS




1-gang




2-gang



2-gang



3-gang



3-gang

Aged beech	30841212	30842212	30852212	30843212	30853212
Honey-coloured beech	30841192	30842192	30852192	30843192	30853192
Natural beech	30841812	30842812	30852812	30843812	30853812
Unvarnished beech	30841002	30842002	30852002	30843002	30853002

Outlets for Ø 16-20mm pipes. Further dimensions on page 96.

ACCESSORIES FOR INSTALLATION WITH BASE

Description	Reference
Dimbler height supplement for installation using a base with conduit inlet.	60952032
Support frame with claws for installing a base without conduit inlet on screwless flush-mounted box.	20901972



Certified products.

GARBY Collection



WOODEN FRAMES	NF PEFC	1-gang	2-gang	3-gang	4-gang
Aged beech		31801212	31802212	31803212	31804212
Honey-coloured beech		31801192	31802192	31803192	31804192
Natural beech		31801812	31802812	31803812	31804812
Unvarnished beech		31801002	31802002	31803002	31804002

Dimensions on p. 96.



PORCELAIN FRAMES	NF	1-gang	2-gang	3-gang	4-gang
White		31801172	31802172	31803172	-
Black		31801272	31802272	31803272	-
Decor		31801612	31802612	31803612	-
Craquelé		31801092	31802092	31803092	-
Coton		31801852	31802852	31803852	-
Vert île		31801862	31802862	31803862	-
Camille		31801872	31802872	31803872	-
Cru		31801882	31802882	31803882	-

Dimensions on p. 96.

FRAME ADAPTERS



Description	Reference
Without bracket for direct surface mounting.	30950982



Description	Reference
With bracket for installation on flush-mounted boxes.	30951982

CABLE REELS



Description	Reference
Reel of H07V-K braided fibreglass cable.	
2 x 1.5mm² (50m)	
Brown	30971032
White	30971052
3 x 1.5mm² (50m)	
Brown	30974032
White	30974052
3 x 2.5mm² (50m)	
Brown	30975032
White	30975052
4 x 1.5mm² (25m)	
Brown	30992032
White	30992052

Description	Reference
Reel of H07V-K braided textile cable (50m).	
2 x 1.5mm ² , white	30976052
3 x 1.5mm ² , white	30979052

Please consult local regulations before using these cables.



Certified products.

ACCESSORIES

Description	Reference
 Porcelain insulator for braided cable (pack 25 pcs.) White Brown	30913170 30913470
 Porcelain insulator for braided cable (pack 5 pcs.) White Brown	30913172 30913472
 Wall grommet for Ø 16mm conduit (pack 2 pcs.) Ø 19mm White Brown	30938052 30938032
 Porcelain ceiling rose Ø 100 x 34mm White Black	30940172 30940272
 Porcelain junction box Ø 78 x 46mm White Black	30399172 30399272
 Porcelain junction box Ø 118 x 53mm White Black	30401172 30401272
 Metal junction box aged metal finish Ø 72 x 46mm Ø 108 x 53mm 175 x 125 x 50mm	30399222 30401222 30402222
 Nickel junction box 86 x 86 x 40mm 86 x 160 x 40mm 175 x 125 x 50mm	37400512 37399512 30402512
 Insulating supplement for surface-mounted switches	30952022
 Garby - Dimbler flush-mounted box with spacer, 6 pcs.	30993020
 Installation accessory for Garby - Dimbler box plasterboard wall, 6 pcs.	30995000

ACCESSORIES (cont.)

Description	Reference
 Aged metal conduit for surface-mounted installation 4 pcs x 3m, 12m in total Ø 16mm Ø 20mm Ø 25mm	30016222 30020222 30025222
 Metal bracket for conduit fixing (pack 25 pcs.) Ø 16mm Ø 20mm Ø 25mm	30716032 30720032 30725032
 Metal clamp for conduit fixing (pack 25 pcs.) Ø 16mm Ø 20mm Ø 25mm	30816032 30820032 30825032
 Coupling for conduit Ø 16mm. Pack 10 pcs. Ø 20mm. Pack 10 pcs. Ø 25mm. Pack 5 pcs.	30516222 30520222 30525222
 90° elbow for conduit* Ø 16mm Ø 20mm Ø 25mm	30416222 30420222 30425222
 Inspection tee for conduit Ø 16mm Ø 20mm Ø 25mm	30616222 30620222 30625222
 Inspection elbow for conduit Ø 16mm Ø 20mm Ø 25mm	30116222 30120222 30125222
 Adapter for Ø 20mm conduit for bases	30007032
 Repair spray for aged metal paint 400ml	30001222

(*) Requires coupling to connect the elbow to the conduit.

NOTE: See the diagram for surface-mounted installation with these accessories on p. 87.

DIMBLER Collection | Components

PORCELAIN SWITCHES AND BRASS KNOBS

White porcelain



Black nickel knob and screws



Bright copper knob and screws



Bright gold knob and screws



Bright chrome knob and screws



Aged brass knob and screws

Black porcelain



PORCELAIN SWITCHES, BRASS DOME AND KNOB

White porcelain



Satin nickel dome and bright chrome knob



Bright copper dome and knob



Satin gold dome and bright gold knob



Bright chrome dome and knob



Antique bronze dome and aged brass knob

Black porcelain



Black nickel dome and knob



WOODEN BASES


Aged beech



Honey-coloured beech



Natural beech



Unvarnished beech

**PORCELAIN FRAMES**

White porcelain



Black porcelain



Decor porcelain



Craquelé Porcelain



Coton porcelain



Vert île porcelain



Camille porcelain



Cru porcelain

**WOODEN FRAMES**


Aged beech




Honey-coloured beech



Natural beech



Unvarnished beech




DIMBLER Collection | Installation Types and Component Selection


INSTALLATION WITHOUT FLUSH-MOUNTED BOX (SWITCHES WITH CABLE INLET)




With exposed cable



With exposed cable and frame



With exposed conduit and base




*To be used with Dimbler switch without cable inlet.

INSTALLATION WITH FLUSH-MOUNTED BOX (SWITCHES WITHOUT CABLE INLET)



With Garby-Dimbler flush-mounted box




DIMBLER switch
without cable inlet
(p. 63)

Garby - Dimbler
flush-mounted box
(p. 57)

Accessory for
installing box in
hollow partition wall
(p. 57)



With universal
flush-mounted
box and frame




DIMBLER switch
without cable inlet
(p. 63)

Frame
(p. 56)

Adapter for frame
with bracket
(p. 56)



With universal
flush-mounted
box and base



DIMBLER switch
without cable inlet
(p. 63)

Optional height
supplement
(p. 55)

Base without
conduit inlet
(p. 55)

DIMBLER Collection
Installation Guide



DIMBLER Collection

60308--2

WITH CABLE INLET

(INSTALLATION WITHOUT FLUSH-MOUNTED BOX)

SWITCHES 10AX 250Vac

Description	Reference
Two-way switch	60308 -- 2
Intermediate switch	60304 -- 2
Double-pole switch	60314 -- 2
Toggle push button 10A	60312 -- 2

PUSH BUTTON 6A 250Vac/24Vdc

Description	Reference
Push button*	60310 -- 2

* Only with brass dome.



PORCELAIN FINISH / BRASS HANDLE

Black nickel	Bright copper	Bright gold	Bright chrome	Aged brass
41	42	43	44	45
Black nickel	Bright copper	Bright gold	Bright chrome	Aged brass
21	22	23	24	25

BRASS DOME FINISH / BRASS HANDLE

Satin nickel / bright chrome	Bright copper	Satin gold / bright gold	Bright chrome	Antique bronze / aged brass
51	72	52	81	70
Black nickel	Bright copper	Satin gold / bright gold	Bright chrome	Antique bronze / aged brass
79	78	74	77	75

ACCESSORIES INSTALLATION WITHOUT FLUSH-MOUNTED BOXWooden bases
with conduit inlet
(see p. 55)Optional accessory
for installation on
a base with conduit inlet
(see p. 55)Wooden or
porcelain frames
(see p. 56)Accessory for
installation with frame
(see p. 56)Other accessories
for surface-mounted
installation
(see p. 56 and 57)

(INSTALLATION WITH FLUSH-MOUNTED BOX) WITHOUT CABLE INLET

PORCELAIN FINISH / BRASS HANDLE

Black nickel	Bright copper	Bright gold	Bright chrome	Aged brass

61

62

63

64

65

Black nickel	Bright copper	Bright gold	Bright chrome	Aged brass

31

32

33

34


35

BRASS DOME FINISH / BRASS HANDLE

Satin nickel / bright chrome	Bright copper	Satin gold / bright gold	Bright chrome	Antique bronze / aged brass
56	82	59	68	71
Black nickel	Bright copper	Satin gold / bright gold	Bright chrome	Antique bronze / aged brass
89	88	84	87	85

SWITCHES 10AX 250Vac

Description	Reference
	60308 -- 2
Intermediate switch	60304 -- 2
Double-pole switch	60314 -- 2
Toggle push button 10A	60312 -- 2



Two-way switch

60308 -- 2

Intermediate switch

60304 -- 2

Double-pole switch

60314 -- 2

Toggle push button 10A

60312 -- 2

PUSH BUTTON 6A 250Vac/24Vdc

Description	Reference
	60310 -- 2

Push button*

60310 -- 2

* Only with brass dome.

Push button*

60310 -- 2

* Only with brass dome.

NOTE: For surface-mounted installation diagrams, see page 87, wiring diagrams on pages 89-90, and dimensions on page 96.

ACCESSORIES INSTALLATION WITH FLUSH-MOUNTED BOX

Wooden bases
without conduit inlet
(see p. 55)



For installation with
a base on a screwless
flush-mounted box
(see p. 55)



Wooden or
porcelain frames
(see p. 56)



Accessory with
support frame, for
installation with frame
(see p. 56)



Optional flush-
mounted box for
Garby - Dimbler
(see p. 57)





reddot design award



DO LOW Collection | Components and Installation Type

SWITCHES AND SCREWS

White porcelain



Chrome screws



Black nickel screws



Bright copper screws



Aged brass screws



Satin gold screws

Black porcelain



KNOBS

Chrome



Black nickel



Bright copper



Aged brass



Satin gold



PORCELAIN FRAMES

White porcelain



Black porcelain




WOODEN FRAMES

Darkened beech



Natural beech




Walnut



INSTALLATION AND COMPONENT SELECTION

With universal
flush-mounted
box and frame


=

DO mechanism
(p. 66)

+

Knob
(p. 67)

+

Frame
(p. 67)DO LOW Collection
Installation Guide

DO LOW Collection

34308--1



Porcelain colour:

11 01

Screw colour:

Chrome

ROTARY SWITCHES 10AX 250Vac

Description	Reference
Two-way switch	34308 -- 1
Double two-way switch*	34302 -- 1
Intermediate switch	34304 -- 1
Double-pole switch	34314 -- 1
Push button 10A*	34328 -- 1
Electric blind switch 6A*	34342 -- 1
Electric blind push button 6A*	34344 -- 1

*Operation diagrams on p. 88.

PUSH BUTTONS 6A 250Vac/24dc

Description	Reference
Push button	34310 -- 2

(Finish for button and screws.)

ROTARY PUSH BUTTON DIMMERS 250Vac

Description	Reference
Two-way switch dimmer LED 120W	343A9 -- 2
Two-way switch dimmer 1-10V	343E7 -- 2
Fan dimmer 40-250W	34331 -- 2

(Finish for button and screws.)

DIMMERS 250Vac

To be controled with push-button and installed in flush-mounting or junction boxes.



Description	Reference
Puck housing, incandescent and halogen lamps, 40-500W	37346000
Puck housing, LED 4-350W	37371000

NOTE: For wiring diagrams, see pages 88-91, technical data on pages 92-94 and dimensions on page 96.**SOCKETS** 16A 250Vac

Description	Reference
German standard 2P+E socket	
White porcelain	34212172
Black porcelain	34212272
French standard 2P+E socket	
White porcelain	34208172
Black porcelain	34208272

USB CHARGER SOCKETS 20W

Description	Reference
USB A+A charger socket	
White porcelain	34765172
Black porcelain	34765272
USB A+C charger socket	
White porcelain	34766172
Black porcelain	34766272
USB C+C charger socket	
White porcelain	34764172
Black porcelain	34764272

TELEPHONE, DATA AND TV SOCKETS

Description	Reference
RJ45 CAT 6 UTP socket	
White porcelain	34702172
Black porcelain	34702272
RJ45 CAT 6 UTP double socket	
White porcelain	34707172
Black porcelain	34707272
RJ45 CAT 6A STP socket	
Porcelain white	34705172
Porcelain black	34705272
RJ45 CAT 6A STP double socket	
Porcelain white	34761172
Porcelain black	34761272
RJ45 CAT 6A UTP socket	
Porcelain white	34704172
Porcelain black	34704272
R/TV-SAT star socket	
White porcelain	34712172
Black porcelain	34712272
R/TV-SAT end socket	
White porcelain	34711172
Black porcelain	34711272
R/TV-SAT intermediate A socket	
White porcelain	34713172
Black porcelain	34713272



TELEPHONE, DATA AND TV SOCKETS (CONT.)



Description	Reference
R/TV-SAT intermediate B socket	
White porcelain	34714172
Black porcelain	34714272

MULTIMEDIA SOCKETS




Description	Reference
Double USB A socket	
White porcelain	34729172
Black porcelain	34729272
USB A + RJ45 CAT 6 UTP socket	
Porcelain white	34719172
Porcelain black	34719272
Double HDMI socket	
White porcelain	34726172
Black porcelain	34726272
HDMI + RJ45 CAT 6 UTP socket	
White porcelain	34728172
Black porcelain	34728272
Double RCA socket	
White porcelain	34907172
Black porcelain	34907272




BLANKING PLATES AND CABLE OUTLETS




Description	Reference
Blanking plate	34656 - - 2
Cable inlet Ø 8mm	34927 - - 2



1-gang



2-gang



3-gang

WOODEN FRAMES

- Darkened beech
- Natural beech
- Walnut

34801802
34801812
34801822

34802802
34802812
34802822

PORCELAIN FRAMES

- White porcelain
- Black porcelain

34801172
34801272

34802172
34802272



GARBY COLONIAL Collection | Components and Installation Type

SWITCHES

White porcelain



Black porcelain



WOODEN KNOBS AND SCREWS

Aged beech



Honey-coloured beech



Natural beech



Unvarnished beech



PORCELAIN KNOBS AND SCREWS

White porcelain



Black porcelain



Retro white porcelain



Retro black porcelain



BRASS KNOBS AND SCREWS


Aged brass



Black nickel



Bright copper



Chrome



PORCELAIN FRAMES

White porcelain



Black porcelain



Decor porcelain



Craquelé Porcelain



WOODEN FRAMES

Aged beech



Honey-coloured beech



Natural beech



Unvarnished beech




INSTALLATION AND COMPONENT SELECTION



With flush-mounted box and frame

=




Garby Colonial mechanis (p. 70)

+



Knob and screws (p. 72)

+



Frame (p. 73)



Garby Colonial Collection Installation Guide

GARBY COLONIAL Collection

31308--1



17

27

ROTARY SWITCHES 10AX 250Vac

Description	Reference
Two-way switch	31308 - - 1
Double two-way switch*	31302 - - 1
Intermediate switch	31304 - - 1
Double-pole switch	31314 - - 1
Push button 10A*	31328 - - 1
Electric blind switch 6A*	31342 - - 1
Electric blind push button 6A*	31344 - - 1

*Operation diagrams on p. 88.

PUSH BUTTONS 6A 250Vac/24Vdc

Description	Reference
Push button	31310 - - 2
Double push button	31343 - - 2

ROTARY PUSH BUTTON DIMMERS 250Vac

Description	Reference
Universal two-way switch dimmer 4-100W	31330 - - 2
Fan dimmer 40-250W	31331 - - 2

DIMMERS 250Vac

To be controled with push-button and installed in flush-mounting or junction boxes.



Description	Reference
Puck housing, incandescent and halogen lamps, 40-500W	37346000
Puck housing, LED 4-350W	37371000
Puck housing, 1-10 V	37372000

NOTE: For wiring diagrams, see pages 88-91, technical data on pages 92-95 and dimensions on page 96.

SOCKETS 16A 250Vac

Description	Reference
Socket 2P socket	31209 - - 2
Socket 2P socket White technopolymer	31209052
Black technopolymer	31209022
German standard 2P+E socket	31212 - - 2
German standard 2P+E socket White technopolymer	31212052
Black technopolymer	31212022
French standard 2P+E socket	31208 - - 2
French standard 2P+E socket White technopolymer	31208052
Black technopolymer	31208022

**USB CHARGER SOCKETS** 20W

Description	Reference
USB A+A charger socket	31765 - - 2
USB A+C charger socket	31766 - - 2
USB C+C charger socket	31764 - - 2

TELEPHONE, DATA AND TV SOCKETS

Description	Reference
RJ45 CAT 6 UTP socket	31702 - - 2
Double RJ45 CAT 6 UTP socket	31707 - - 2
RJ45 CAT 6A STP socket	31705 - - 2
Dual RJ45 CAT 6A STP socket	31761 - - 2
RJ45 CAT 6A UTP socket	31704 - - 2
R/TV-SAT star socket White technopolymer	35712052
Black technopolymer	35712022
R/TV-SAT end socket White technopolymer	35711052
Black technopolymer	35711022
R/TV-SAT intermediate A socket White technopolymer	35713052
Black technopolymer	35713022
R/TV-SAT intermediate B socket White technopolymer	35714052
Black technopolymer	35714022

Certified products.

TELEPHONE, DATA AND TV SOCKETS (CONT.)

Description	Reference
R/ TV- SAT socket cover	
White technopolymer	35715052
Black technopolymer	35715022

MULTIMEDIA SOCKETS

Description	Reference
USB A socket	31724 - - 2
Double USB A socket	31729 - - 2
USB A + RJ45 CAT 6 UTP socket	31719 - - 2
HDMI socket	31727 - - 2
Double HDMI socket	31726 - - 2
HDMI + RJ45 CAT 6 UTP socket	31728 - - 2

BLANKING PLATES AND CABLE OUTLETS

Description	Reference
Blanking plate	31656 - - 2
Cable inlet Ø 8.5mm	31927 - - 2

OPTICAL AND ACOUSTIC SIGNALLING AND OTHER FUNCTIONS

Description	Reference
 Beacon 250Vac White technopolymer	35755052
 Beacon 12/24Vdc White technopolymer	35756052
 Buzzer 80dB White technopolymer Black technopolymer	31390052 31390022
 180° IR detector ** White technopolymer	37750052
 Hotel card switch 1 microswitch 5A With indicator light, white technopolymer	37935052
 Hotel card switch 2 microswitches 2x5A With indicator light, white technopolymer	37936052

** Requires special 1-gang frame with square hole
(see p. 73).

GARBY COLONIAL Collection

PORCELAIN ROTARY KNOBS + SCREWS



WOODEN ROTARY KNOBS + SCREWS



Description	Reference	Description	Reference
White + patinated screws 1 pc Pack 5 pcs	30967171 30967177	Honey-coloured beech + patinated screws 1 pc Pack 5 pcs	30967191 30967197
Black + black screws 1 pc Pack 5 pcs	30967271 30967277	Aged beech + patinated screws 1 pc Pack 5 pcs	30967211 30967217
Retro white + patinated screws 1 pc Pack 5 pcs	30930171 30930177	Natural beech + patinated screws 1 pc Pack 5 pcs	30967811 30967817
Retro black + black screws 1 pc Pack 5 pcs	30930271 30930277	Unvarnished beech + patinated screws 1 pc Pack 5 pcs	30967001 30967007

BRASS ROTARY KNOBS + SCREWS



Description	Reference
Bright copper + copper screws 1 pc Pack 5 pcs	30967311 30967317
Black nickel + black screws 1 pc Pack 5 pcs	30967301 30967307
Aged brass + patinated screws 1 pc Pack 5 pcs	30967831 30967837
Chrome + chrome screws 1 pc Pack 5 pcs	30967261 30967267



Certified products.



WOODEN FRAMES	NF PEFC	1-gang	1-gang*	2-gang	3-gang	4-gang
	Aged beech	31801212	31821212	31802212	31803212	31804212
	Honey-coloured beech	31801192	31821192	31802192	31803192	31804192
	Natural beech	31801812	31821812	31802812	31803812	31804812
	Unvarnished beech	31801002	31821002	31802002	31803002	31804002

*For installation of 180° IR detector ref. 37750052.

Dimensions on page 96.



PORCELAIN FRAMES	NF	1-gang	1-gang*	2-gang	3-gang	4-gang
	White	31801172	31821172	31802172	31803172	-
	Black	31801272	31821272	31802272	31803272	-
	Decor	31801612	31821612	31802612	31803612	-
	Craquelé	31801092	31821092	31802092	31803092	-

*For installation of 180° IR detector ref. 37750052.

Dimensions on page 96.

Venezia Collection | Components and Installation Type

ROTARY SWITCHES



TOGGLE SWITCHES



OVAL WOODEN FRAMES

Unvarnished beech



White lacquered



Oak-coloured beech



Sapele



Walnut-coloured beech

**CLÁSICA WOODEN FRAMES**

Unvarnished beech





Sapele

**CARRÉ WOODEN FRAMES**

Unvarnished beech



Sapele

**INSTALLATION AND COMPONENT SELECTION**With universal
flush-mounted
box and frameVenezia mechanism
(p. 76)Frame
(p. 78)Venezia Collection
Installation Guide

VENEZIA Collection**35308--2****ROTARY SWITCHES** 10AX 250Vac

Description	Reference
Two-way switch	35308 -- 2
Double two-way switch*	35302 -- 2
Intermediate switch	35304 -- 2
Push button 10A*	35328 -- 2
Electric blind switch 6A*	35342 -- 2
Electric blind push button 6A*	35344 -- 2

*Operation diagrams on p. 88.

KNOB FINISH

Golden	Antique bronze	Satin nickel
30	59	25
White porcelain	Retro white porcelain	Honey-coloured beech
17	23	16
Golden	Antique bronze	Satin nickel
54	57	52

65308--2**TOGGLE SWITCHES** 10AX 250Vac

Description	Reference
Two-way switch	65308 -- 2
Double two-way switch	65302 -- 2
Intermediate switch	65304 -- 2
Double-pole switch	65314 -- 2
Push button 10A	65312 -- 2

TOGGLE FINISH

Golden	Antique bronze	Chrome
30	59	26
Golden	Antique bronze	Chrome
54	57	52

35310--2**PUSH BUTTONS** 6A 250Vac/24Vdc

Description	Reference
Push button	35310 -- 2
Double push button	35343 -- 2

BUTTON FINISH

Golden	Antique bronze	Chrome
30	59	26
Golden	Antique bronze	Chrome
54	57	52



Certified products.

OTHER FINISHES

05
White03
Brown

SOCKETS 16A 250Vac



Description	Reference
2P socket	35209 - - 2



German standard 2P+E socket	35212 - - 2
-----------------------------	-----------------



French standard 2P+E socket	35208 - - 2
-----------------------------	-----------------

ROTARY PUSH BUTTON DIMMERS 250Vac



Description	Reference
Universal push-button two-way dimmer 4-100W	35330 - - 2

DIMMERS 250Vac

To be controled with push-button and installed in flush-mounting or junction boxes.



Description	Reference
Puck housing, incandescent and halogen lamps, 40-500W	37346000



Description	Reference
Puck housing, LED 4-350W	37371000




Description	Reference
Puck housing, 1-10 V	37372000

VENEZIA Collection

OVAL SERIES WOODEN FRAMES	 			
1-gang	2-gang	3-gang		
Unvarnished beech	35801002	35802002	35803002	
White lacquered beech	35801052	35802052	35803052	
Oak-coloured beech	35801152	35802152	35803152	
Sapele	35801162	35802162	35803162	
Walnut-coloured beech	35801202	35802202	35803202	

CLÁSICA SERIES WOODEN FRAMES	 			
1-gang	2-gang	3-gang		
Unvarnished beech	36801002	36802002	36803002	
Sapele	36801162	36802162	36803162	

CARRÉ SERIES WOODEN FRAMES	 			
1-gang	2-gang	3-gang		
Unvarnished beech	36811002	36812002	36813002	
Sapele	36811162	36812162	36813162	

Dimensions on page 97.

Dimensions on page 97.

Dimensions on page 97.





1950 Collection | Components and type of installation

TOGGLE SWITCHES

Chrome



Golden



Aged bronze



BRASS PLATES

Graphite



Golden



Nickel




Aged bronze




INSTALLATION AND COMPONENT SELECTION

With universal
flush-mounted
box and frame

=



+

1950 mechanism
(p. 82)Plate
(p. 83)1950 Collection
Installation Guide

1950 COLLECTION

79308-00



TOGGLE SWITCHES 10AX 250Vac



Description	Reference
Two-way switch	79308 - 00
Double two-way switch	79302 - 00
Intermediate switch	79304 - 00
Double intermediate switch	79348 - 00
Push button 10A	79312 - 00
Double push button 10A	79345 - 00
Two-way switch + Intermediate switch	79357 - 00
Two-way switch + Push button 10A	79379 - 00
Electric blind switch 6A	793H8 - 00
Electric blind push button 6A	793D0 - 00

PUSH BUTTONS 6A 250Vac/24Vdc



Description	Reference
Push button	79310 - 00
Double push button	79343 - 00

ROTARY PUSH BUTTON DIMMERS 250Vac



Description	Reference
Universal two-way switch dimmer 5-300W	79330 - 00
Two-way switch dimmer 1-10V	793E7 - 00

THERMOSTATS



Description	Reference
Thermostat	79730000
Connected thermostat	79731000
Temperature sensor for connected thermostat	79732000

NOTE: For wiring diagrams, see pages 89-91, technical data on pages 92-95 and dimensions on page 97.

SOCKETS 16A 250Vac



USB CHARGER SOCKETS 20W



TELEPHONE, DATA, TV AND MULTIMEDIA SOCKETS



IR DETECTOR



BLANKING PLATES AND CABLE OUTLETS



PLATE FINISHES




PLATE CODES

COLLECTION	NO. ELEMENTS	FINISH	FIXED VALUE	FIXED VALUE	FUNCTION 1	FUNCTION 2	FUNCTION 3	FUNCTION 4
79	G	F1	0	0	1A	1R	2R	ST
1. Collection								
1950	79							
2. No. Elements								
1 horizontal element								A
1 vertical element								B
2 horizontal elements								C
2 vertical elements								D
3 horizontal elements								E
3 vertical elements								F
4 elements horizontal								G
4 vertical elements								H
3. Plate material and finish								
Graphite								F1
Gold								F2
Nickel								F3
Aged bronze								F4
5. Functions								
Switches								
Toggle switch								1A
Double toggle switch								2A
Push button								1A
Double push button								2A
Dimmers								
Universal dimmer								1D
Dimmer 1-10V								1M
Power and charger sockets								
2P+E socket								ST
USB charger								1R
TV, data and multimedia sockets								
R/TV-SAT socket								T2
Simple data/multimedia socket								1R
Double data/multimedia socket								2R
Blanking plates and cable outlets								
Blanking plate								1G
Cable inlet								1A
Detectors and thermostats								
IR Detector								MS
Thermostat								VT

Dimensions on page 97.

FUNCTION CODES

Switches	Sockets and chargers			Blanking plates and cable outlets		
	Toggle switch 1A		2P+E socket	ST		Cable inlet 1A
	Double toggle switch 2A		USB charger	1R		Blanking plate 1G
	Push button 1A	TV, data and multimedia sockets			Thermostat detectors	
	Double push button 2A		R/T-V-SAT socket	T2		IR detector MS
Dimmers			Simple data/multimedia socket	1R		Thermostat VT
	Universal dimmers 1D		Double data/multimedia socket	2R		
	Dimmer 1-10V 1M					

MATERIAL LIST EXAMPLE BY COMPOSITION

Complete light point composition:

Two-way chrome toggle switch
German standard 2P+E socket
Graphite 2-gang horizontal frame

79308200
79212000
79CF1001AST

1. Collection	1950	79
2. No. of elements	2 horizontal elements	C
3. Materials and finishes	Graphite	F1
4. Fixed values		00
5. Functions	Toggle switch 2P+T socket	1A ST



Online Installation Guide

A quick guide with clear steps so that you can see how easy it is to install our switches.

In the form of a practical example, you will find a step-by-step guide explaining all the different details to take into consideration so that you can easily, safely and efficiently install your product.



Access the guide on your mobile phone for greater convenience using this QR code, which can also be found on the product packaging and on the fontini.com website.




How to use the installation guide




1. Select the collection.



2. Select the desired installation type.



3. Review the required components.



4. Follow the instructions as shown.



You can also find **technical data sheets** for all available applications.


Share it on social media!



Once you have installed your product, **share some pics on Instagram**, tagging our profile, and get hundreds of followers to see your handiwork!

Installation Diagram | With surface-mounted conduit and fittings

GARBY and DIMBLER Collections



1. Aged metal conduit 4pcs x 3m,
12m in total

Ø 16mm	30016222
Ø 20mm	30020222
Ø 25mm	30025222

2. Conduit fittings (pack 25 pcs.)
2a.Bracket 2b.Clamp

Ø 16mm	30716032	30816032
Ø 20mm	30720032	30820032
Ø 25mm	30725032	30825032

3. Coupling
(in packs)

Ø 16mm (10 pcs.)	30516222
Ø 20mm (10 pcs.)	30520222
Ø 25mm (5 pcs.)	30525222



4. Inspection elbow

Ø 16mm	30116222
Ø 20mm	30120222
Ø 25mm	30125222



5. Inspection tee


Ø 16mm	30616222
Ø 20mm	30620222
Ø 25mm	30625222



6. 90° elbow*


Ø 16mm	30416222
Ø 20mm	30420222
Ø 25mm	30425222

(*) Requires coupling to connect the elbow to the conduit.




7. Junction boxes

Ø 72 x 46mm	30399222
Ø 108 x 53mm	30401222
175 x 125 x 50mm	30402222



8. Bases with conduit inlet

(see p. 55)




9. Conduit adapter for base with
metal clamp (2b.)


Ø 20mm	30007032
--------	----------

Wiring Diagrams | Rotary Mechanisms

DO, DO LOW, GARBY, GARBY COLONIAL and VENEZIA Collections




OPERATION DIAGRAMS:




Wiring Diagrams | Toggle Mechanisms


DIMBLER, VENEZIA and 1950 Collections




ONE-WAY SWITCH



DOUBLE ONE-WAY SWITCH




TWO-WAY SWITCH




TWO-WAY SWITCH

INTERMEDIATE SWITCH


TWO-WAY SWITCH




DOUBLE-POLE SWITCH




ELECTRIC BLIND SWITCH



ELECTRIC BLIND PUSH
BUTTON




PUSH BUTTON




DOUBLE PUSH BUTTON

Wiring Diagrams | Dimmer Switches

DO, DO LOW, GARBY, GARBY COLONIAL, DIMBLER, VENEZIA AND 1950 Collections




PUCK HOUSING DIMMERS:




Wiring diagrams | Other Applications

DO, DO LOW, GARBY, GARBY COLONIAL, VENEZIA & 1950 Collections


HOTEL CARD SWITCH, 1 MICROSWITCH -
GARBY COLONIAL (37935...)




HOTEL CARD SWITCH, 2 MICROSWITCHES -
GARBY COLONIAL (37936...)




IR DETECTOR WITH PUSH BUTTON -
GARBY COLONIAL (37750...), 1950 (79750...)






THERMOSTAT - 1950 (797300...)




CONNECTED THERMOSTAT - 1950 (79731...) + SENSOR (7973200)




R/TV-SAT SOCKET



Cable
removal:



RJ45 SOCKET



For connection as a telephone
socket (RJ11 or RJ12), only
connect the terminals marked
blue and blue/white.

Technical Data

DIMMERS

Reference	250 V~ 50Hz 1,5 mm ²	Incandescent 250V	Halogren 250V	Halogren 250V electrical transformer	Dimmable compact fluorescent	LED 250V dimmable	LED 12V dimmable electronic transformer	LED 12V dimmable ferromagnetic transformer	Halogren 12V dimmable ferromagnetic transformer	Dimmable 1-10V ballast or driver	Dimmable fan
DO LOW Collection											
34331...	Max.	-	-	-	-	-	-	-	-	-	250 W
	Min.	-	-	-	-	-	-	-	-	-	40 W
343A9...	Max.	-	-	-	-	120 W or 10 lamps max.	120 VA or 10 lamps max.	-	-	-	-
343E7...	Max.	-	-	-	-	-	-	-	-	Max. 20m 6A	-
GARBY COLONIAL Collection											
31330...	Max.	400 W	400 W	400 VA	400 W	100 W	400 VA	400 VA	400 VA	-	-
	Min.	25 W	25 W	25 VA	25 W	4 W	25 VA	25 VA	25 VA	-	-
31331...	Max.	-	-	-	-	-	-	-	-	-	250 W
	Min.	-	-	-	-	-	-	-	-	-	40 W
VENEZIA Collection											
35330...	Max.	400 W	400 W	400 VA	400 W	100 W	400 VA	400 VA	400 VA	-	-
	Min.	25 W	25 W	25 VA	25 W	4 W	25 VA	25 VA	25 VA	-	-
1950 Collection											
79330...	Max.	300 W	300 W	300 VA	300 W or 15 lamps max.	300 W or 15 lamps max.	300 VA or 15 lamps max.	300 VA or 15 lamps max.	150 VA	-	-
	Min.	5 W	5 W	5 VA	5 W	5 W	5 VA	5 VA	5 VA	-	-
PUCK DIMMERS											
37346000 (1)	Max.	500 W	500 W	500 W	-	-	-	-	350 W	-	-
	Min.	40 W	40 W	40 W	-	-	-	-	40 W	-	-
37371000 (1)	Max.	-	-	-	-	100 W start of phase, 350 W end of phase.	6 x 50W trans- formers and 1 lamp/transformer or 3 x 100W transformers and 1 lamp/trans- former.	-	-	-	-
	Min.	-	-	-	-	4 W	-	-	-	-	-
37372000 (2)	Max.	-	-	-	-	-	-	-	-	125 devices rated 5A	-

(1) To be controlled with push button. Maximum of 3 illuminated push buttons. (2) To be controlled with push button. No illuminated push buttons.

Technical Data

USB CHARGER SOCKETS

	A + A	A + C	C + C
Rated voltage		100-240 V~	
Maximum input current		0.3 A	
Maximum power		15-20 W	
Technology		Fast-charging, power delivery 3.0	
Output voltage and current		5V DC / 3A - 9V DC / 2A - 12V DC / 1,67A	
Type of connection		Screw terminal	
Supported cable cross-section		2,5 mm ²	
Cable stripping		6 mm	
Protection		IP20	
Insulation class		Class II	
Ambient operating temperature		-5 to 40°C	


RJ45 SOCKETS

	CAT 6 UTP	CAT 6A UTP	CAT 6A STP
Shielding		No	Yes
Bandwidth	250 MHz		500 MHz
Standards	ANSI/TIA-568.2-D ISO/IEC 11801 Class E		ANSI/TIA-568.2-D ISO/IEC 11801 Class EA
Protection		IP20	
Cable cross-section		22, 24 and 26 AWG	
Type of connection		IDC	
Wiring		T568A - T568B	
Ambient operating temperature		-5 to 40°C.	

Technical Data


R/TV-SAT SOCKETS

	Intermediate B		Intermediate A		End		Star		
Number of connectors	2								
R/TV connector	"CEI" male								
SAT Connector	"CEI" female								
Bypass	Yes			No					
Bands	R/TV	SAT	R/TV	SAT	R/TV	SAT	R/TV		
Frequency range	5 MHz - 862 MHz	950 MHz - 2400 MHz	5 MHz - 862 MHz	950 MHz - 2400 MHz	5 MHz - 862 MHz	950 MHz - 2400 MHz	5 MHz - 862 MHz		
Rejection between outputs	> 40 dB	> 35 dB	> 25 dB	> 20 dB	> 10 dB	> 20 dB	> 10 dB		
Passage losses	1.2 dB	2 dB	3.5 dB	5 dB	-				
Attenuation	13 dB	14 dB	8.5 dB	10 dB	4 dB	5 dB	0.6 dB		
DC Pass	SAT→In / Out→In			SAT→In					
Maximum current	350 mA								



IR DETECTOR

Rated voltage	110 - 240 V~
Frequency	50 - 60 Hz
Consumption	0.5 W
Detection area	Horizontal 180° (wall-mounted)
Protection	IP20
Switch-off timer	15 s - 16 min, Impulse
Range	max. 10 m lateral, max. 3 m frontal
Coverage area	150 m ² - 1.1 m mounting height
Installation height (min. / max. / recommended)	1 m / 2.2 m / 1.1 m
Switching power	2300 W, cos φ = 1 1150 VA, cos φ = 0.5 300 W LED
Type of contact	1x µ-contact, tungsten pre-contact NO contact
Switching threshold	10 - 200 Lux
Ambient operating temperature	-25 to 50°C



Detection area:
1) Lateral range
2) Frontal range

Technical Data

THERMOSTATS

	Thermostat	Connected thermostat
Rated voltage	100 - 240 V~	
Frequency	50 - 60 Hz	
Power	1.5 VA	0.55 W
Terminals	- 2 terminals (L and N) for line and neutral - 2 C-NO relay terminals with 5 (2) A dry contact	- 2 terminals (L and N) for line and neutral - 2 terminals for outdoor temperature sensor (Ref. 79732000) - 2 C-NO relay terminals with 5 (2) A dry contact
Type of connection	Screw terminals	
Supported cable cross-section	1 x 1,5 mm ²	
Systems	Heating / Air conditioning	
Operating modes	Manual/Off	Automatic, Manual, Reduction, User absent, Protection, Off, Timed manual
Set-point temperature	4°C to 40°C	
Thermoregulation algorithm	ON/OFF	ON/OFF or configurable PID
Readout resolution and settings	0.1 °C	
Thermal differential	0.3 °C	Adjustable via app: from 0.1 °C to 1 °C
Ambient temperature display	0°C to 40°C	
Temperature display updated	Every 10 s	
Reading accuracy	±0.5 °C between +15 °C and +30 °C ±0.8 °C at extremes	
Protection	IP 30	
External sensor	-	Maximum cable length: 10 m Use stranded cable with minimum cross-section of 0.5 mm ²

HOTEL CARD SWITCH

	1 Microswitch	2 Microswitches
Rated voltage	250 V~	
Rated current	5 A	2 x 5 A
Card dimensions	5.4x8.6 cm, thickness 0.76 mm, according to ISO7816	
Type of connection	Faston terminals	
Ambient operating temperature	-5 to 40°C	


Product Dimensions | Frames and Bases

GARBY, GARBY COLONIAL, DIMBLER, DO and DO LOW


(Measurements in mm)

DO AND DO LOW Collections


DO MECHANISMS




DO LOW MECHANISMS



DO BASES




DO AND DO LOW FRAMES




GARBY, GARBY COLONIAL AND DIMBLER Collections


GARBY MECHANISMS




GARBY COLONIAL MECHANISMS




DIMBLER MECHANISMS




GARBY AND DIMBLER BASES



In case of bases with conduit inlet, the diameter and depth are superior:



GARBY, GARBY COLONIAL AND DIMBLER FRAMES




Product Dimensions | Frames

VENEZIA and 1950


(Measurements in mm)

VENEZIA Collection


MECHANISMS




OVAL FRAMES



CLÁSICA FRAMES




CARRÉ FRAMES



1950 Collection

MECHANISMS



FRAMES



Reference Number Index

Ref.	P.								
20901972	55	30205612	52	30304851	52	30312275	53	30328636	53
30001222	57	30205632	52	30304856	53	30312612	52	30328851	52
30007032	57	30208152	52	30304861	52	30312615	53	30328856	53
30016222	57	30208155	53	30304866	53	30312632	52	30328861	52
30020222	57	30208172	52	30304871	52	30312635	53	30328866	53
30025222	57	30208175	53	30304876	53	30312852	52	30328871	52
30116222	57	30208272	52	30304881	52	30312855	53	30328876	53
30120222	57	30208275	53	30304886	53	30312862	52	30328881	52
30125222	57	30208612	52	30308151	52	30312865	53	30328886	53
30202152	52	30208615	53	30308156	53	30312872	52	30342151	52
30202155	53	30208632	52	30308171	52	30312875	53	30342156	53
30202172	52	30208635	53	30308176	53	30312882	52	30342171	52
30202175	53	30211152	52	30308271	52	30312885	53	30342176	53
30202272	52	30211155	53	30308276	53	30314151	52	30342271	52
30202275	53	30211172	52	30308611	52	30314156	53	30342276	53
30202612	52	30211175	53	30308616	53	30314171	52	30342611	52
30202615	53	30211272	52	30308631	52	30314176	53	30342616	53
30202632	52	30211275	53	30308636	53	30314271	52	30342631	52
30202635	53	30211612	52	30308851	52	30314276	53	30342636	53
30202852	52	30211615	53	30308856	53	30314611	52	30342851	52
30202855	53	30211632	52	30308861	52	30314616	53	30342856	53
30202862	52	30211635	53	30308866	53	30314631	52	30342861	52
30202865	53	30211852	52	30308871	52	30314636	53	30342866	53
30202872	52	30211855	53	30308876	53	30314851	52	30342871	52
30202875	53	30211862	52	30308881	52	30314856	53	30342876	53
30202882	52	30211865	53	30308886	53	30314861	52	30342881	52
30202885	53	30211872	52	30310152	53	30314866	53	30342886	53
30204152	52	30211875	53	30310172	53	30314871	52	30343152	52
30204155	53	30211882	52	30310272	53	30314876	53	30343155	53
30204172	52	30211885	53	30310612	53	30314881	52	30343172	52
30204175	53	30304151	52	30310632	53	30314886	53	30343175	53
30204272	52	30304156	53	30310852	53	30328151	52	30343272	52
30204275	53	30304171	52	30310862	53	30328156	53	30343275	53
30204612	52	30304176	53	30310872	53	30328171	52	30343612	52
30204615	53	30304271	52	30310882	53	30328176	53	30343615	53
30204632	52	30304276	53	30312152	52	30328271	52	30343632	52
30204635	53	30304611	52	30312155	53	30328276	53	30343635	53
30205152	52	30304616	53	30312172	52	30328611	52	30343852	52
30205172	52	30304631	52	30312175	53	30328616	53	30343855	53
30205272	52	30304636	53	30312272	52	30328631	52	30343862	52

Ref.	P.								
30343865	53	30656152	52	30704272	52	30707632	52	30712862	52
30343872	52	30656155	53	30704275	53	30707635	53	30712865	53
30343875	53	30656172	52	30704612	52	30707852	52	30712872	52
30343882	52	30656175	53	30704615	53	30707855	53	30712875	53
30343885	53	30656272	52	30704632	52	30707862	52	30712882	52
30344151	52	30656275	53	30704635	53	30707865	53	30712885	53
30344156	53	30656612	52	30704852	52	30707872	52	30713152	52
30344171	52	30656615	53	30704855	53	30707875	53	30713155	53
30344176	53	30656632	52	30704862	52	30707882	52	30713172	52
30344271	52	30656635	53	30704865	53	30707885	53	30713175	53
30344276	53	30656852	52	30704872	52	30709152	52	30713272	52
30344611	52	30656855	53	30704875	53	30709155	53	30713275	53
30344616	53	30656862	52	30704882	52	30709172	52	30713612	52
30344631	52	30656865	53	30704885	53	30709175	53	30713615	53
30344636	53	30656872	52	30705152	52	30709272	52	30713632	52
30344851	52	30656875	53	30705155	53	30709275	53	30713635	53
30344856	53	30656882	52	30705172	52	30709612	52	30713852	52
30344861	52	30656885	53	30705175	53	30709615	53	30713855	53
30344866	53	30702152	52	30705272	52	30709632	52	30713862	52
30344871	52	30702155	53	30705275	53	30709635	53	30713865	53
30344876	53	30702172	52	30705612	52	30709852	52	30713872	52
30344881	52	30702175	53	30705615	53	30709855	53	30713875	53
30344886	53	30702272	52	30705632	52	30709862	52	30713882	52
30399172	57	30702275	53	30705635	53	30709865	53	30713885	53
30399222	57	30702612	52	30705852	52	30709872	52	30714152	52
30399272	57	30702615	53	30705855	53	30709875	53	30714155	53
30401172	57	30702632	52	30705862	52	30709882	52	30714172	52
30401222	57	30702635	53	30705865	53	30709885	53	30714175	53
30401272	57	30702852	52	30705872	52	30712152	52	30714272	52
30402222	57	30702855	53	30705875	53	30712155	53	30714275	53
30402512	57	30702862	52	30705882	52	30712172	52	30714612	52
30416222	57	30702865	53	30705885	53	30712175	53	30714615	53
30420222	57	30702872	52	30707152	52	30712272	52	30714632	52
30425222	57	30702875	53	30707155	53	30712275	53	30714635	53
30516222	57	30702882	52	30707172	52	30712612	52	30714852	52
30520222	57	30702885	53	30707175	53	30712615	53	30714855	53
30525222	57	30704152	52	30707272	52	30712632	52	30714862	52
30616222	57	30704155	53	30707275	53	30712635	53	30714865	53
30620222	57	30704172	52	30707612	52	30712852	52	30714872	52
30625222	57	30704175	53	30707615	53	30712855	53	30714875	53

Reference Number Index (cont.)

Ref.	P.								
30714882	52	30764885	53	30801812	55	30843002	55	30930277	54
30714885	53	30765152	52	30802002	55	30843192	55	30930277	72
30716032	57	30765155	53	30802192	55	30843212	55	30938032	57
30720032	57	30765172	52	30802212	55	30843812	55	30938052	57
30725032	57	30765175	53	30802812	55	30852002	55	30940172	57
30761152	52	30765272	52	30803002	55	30852192	55	30950982	56
30761155	53	30765275	53	30803192	55	30852212	55	30951982	56
30761172	52	30765612	52	30803212	55	30852812	55	30952022	57
30761175	53	30765615	53	30803812	55	30853002	55	30967001	54
30761272	52	30765632	52	30816032	57	30853192	55	30967001	72
30761275	53	30765635	53	30820032	57	30853212	55	30967007	54
30761612	52	30765852	52	30821002	55	30853812	55	30967007	72
30761615	53	30765855	53	30821192	55	30913170	57	30967171	54
30761632	52	30765862	52	30821212	55	30913172	57	30967171	72
30761635	53	30765865	53	30821812	55	30913470	57	30967177	54
30761852	52	30765872	52	30822002	55	30913472	57	30967177	72
30761855	53	30765875	53	30822192	55	30927152	52	30967191	54
30761862	52	30765882	52	30822212	55	30927155	53	30967191	72
30761865	53	30765885	53	30822812	55	30927172	52	30967197	54
30761872	52	30766152	52	30823002	55	30927175	53	30967197	72
30761875	53	30766155	53	30823192	55	30927272	52	30967211	54
30761882	52	30766172	52	30823212	55	30927275	53	30967211	72
30761885	53	30766175	53	30823812	55	30927612	52	30967217	54
30764152	52	30766272	52	30825032	57	30927615	53	30967217	72
30764155	53	30766275	53	30832002	55	30927632	52	30967261	54
30764172	52	30766612	52	30832192	55	30927635	53	30967261	72
30764175	53	30766615	53	30832212	55	30927852	52	30967267	54
30764272	52	30766632	52	30832812	55	30927855	53	30967267	72
30764275	53	30766635	53	30833002	55	30927862	52	30967271	54
30764612	52	30766852	52	30833192	55	30927865	53	30967271	72
30764615	53	30766855	53	30833212	55	30927872	52	30967277	54
30764632	52	30766862	52	30833812	55	30927875	53	30967277	72
30764635	53	30766865	53	30841002	55	30927882	52	30967301	54
30764852	52	30766872	52	30841192	55	30927885	53	30967301	72
30764855	53	30766875	53	30841212	55	30930171	54	30967307	54
30764862	52	30766882	52	30841812	55	30930171	72	30967307	72
30764865	53	30766885	53	30842002	55	30930177	54	30967311	54
30764872	52	30801002	55	30842192	55	30930177	72	30967311	72
30764875	53	30801192	55	30842212	55	30930271	54	30967317	54
30764882	52	30801212	55	30842812	55	30930271	72	30967317	72

Ref.	P.								
30967811	54	31300171	70	31726272	71	31802812	73	33304271	44
30967811	72	31300271	70	31727172	71	31802852	56	33308171	44
30967817	54	31302171	70	31727272	71	31802862	56	33308271	44
30967817	72	31302271	70	31728172	71	31802872	56	33310012	44
30967831	54	31304171	70	31728272	71	31802882	56	33310022	44
30967831	72	31304271	70	31729172	71	31803002	73	33310032	44
30967837	54	31308171	70	31729272	71	31803092	56	33310042	44
30967837	72	31308271	70	31761172	70	31803092	73	33310062	44
30967851	54	31310172	70	31761272	70	31803172	56	33310112	44
30967857	54	31310272	70	31801002	56	31803172	73	33310122	44
30967861	54	31314171	70	31801002	73	31803192	73	33310132	44
30967867	54	31328171	70	31801092	56	31803212	73	33310142	44
30967871	54	31328271	70	31801092	73	31803272	56	33310162	44
30967877	54	31330172	70	31801172	56	31803272	73	33314171	44
30967881	54	31330272	70	31801172	73	31803612	56	33314271	44
30967887	54	31331172	70	31801192	56	31803612	73	33328171	44
30971032	56	31331272	70	31801192	73	31803812	73	33328271	44
30971052	56	31342171	70	31801212	56	31803852	56	33342171	44
30974032	56	31342271	70	31801212	73	31803862	56	33342271	44
30974052	56	31343172	70	31801272	56	31803872	56	33344171	44
30975032	56	31343272	70	31801272	73	31803882	56	33344271	44
30975052	56	31344171	70	31801612	56	31804002	73	33399172	46
30976052	56	31344271	70	31801612	73	31804192	73	33399272	46
30979052	56	31390022	71	31801812	56	31804212	73	33656012	44
30992032	56	31390052	71	31801812	73	31804812	73	33656022	44
30992052	56	31656172	71	31801852	56	31821002	73	33656032	44
30993020	57	31656272	71	31801862	56	31821092	73	33656042	44
30995000	57	31702172	70	31801872	56	31821172	73	33656062	44
31208022	70	31702272	70	31801882	56	31821192	73	33656112	44
31208052	70	31704172	70	31802002	73	31821212	73	33656122	44
31208172	70	31704272	70	31802092	56	31821272	73	33656132	44
31208272	70	31705172	70	31802092	73	31821612	73	33656142	44
31209022	70	31705272	70	31802172	56	31821812	73	33656162	44
31209052	70	31707172	70	31802172	73	31905022	71	33702172	44
31209172	70	31707272	70	31802192	73	31905052	71	33702272	44
31209272	70	31719172	71	31802212	73	31927172	71	33704172	44
31212022	70	31719272	71	31802272	56	31927272	71	33704272	44
31212052	70	31724172	71	31802272	73	33302171	44	33705172	44
31212172	70	31724272	71	31802612	56	33302271	44	33705272	44
31212272	70	31726172	71	31802612	73	33304171	44	33707172	44

Reference Number Index (cont.)

Ref.	P.								
33707272	44	33813822	45	33969302	46	34308011	66	34331012	66
33711172	44	33816252	46	33969312	46	34308021	66	34331022	66
33711272	44	33913170	46	33969832	46	34308031	66	34331032	66
33712172	44	33913270	46	33969842	46	34308041	66	34331042	66
33712272	44	33927012	45	33989022	46	34308061	66	34331062	66
33713172	44	33927022	45	33989052	46	34308111	66	34331112	66
33713272	44	33927032	45	33989082	46	34308121	66	34331122	66
33714172	44	33927042	45	33990022	46	34308131	66	34331132	66
33714272	44	33927062	45	33990052	46	34308141	66	34331142	66
33761172	44	33927112	45	33990082	46	34308161	66	34331162	66
33761272	44	33927122	45	33991022	46	34310012	66	34342011	66
33764172	44	33927132	45	33991052	46	34310022	66	34342021	66
33764272	44	33927142	45	33991082	46	34310032	66	34342031	66
33765172	44	33927162	45	33992022	46	34310042	66	34342041	66
33765272	44	33966262	46	33992052	46	34310062	66	34342061	66
33766172	44	33966262	67	33992082	46	34310112	66	34342111	66
33766272	44	33966262	67	34208172	66	34310122	66	34342121	66
33801172	45	33966302	46	34208272	66	34310132	66	34342131	66
33801272	45	33966302	67	34212172	66	34310142	66	34342141	66
33801802	45	33966302	67	34212272	66	34310162	66	34342161	66
33801812	45	33966312	46	34302011	66	34314011	66	34344011	66
33801822	45	33966312	67	34302021	66	34314021	66	34344021	66
33802172	45	33966312	67	34302031	66	34314031	66	34344031	66
33802272	45	33966832	46	34302041	66	34314041	66	34344041	66
33802802	45	33966832	67	34302061	66	34314061	66	34344061	66
33802812	45	33966832	67	34302111	66	34314111	66	34344111	66
33802822	45	33966842	46	34302121	66	34314121	66	34344121	66
33803172	45	33966842	67	34302131	66	34314131	66	34344131	66
33803272	45	33966842	67	34302141	66	34314141	66	34344141	66
33803802	45	33967261	45	34302161	66	34314161	66	34344161	66
33803812	45	33967267	45	34304011	66	34328011	66	343A9012	66
33803822	45	33967301	45	34304021	66	34328021	66	343A9022	66
33811802	45	33967307	45	34304031	66	34328031	66	343A9032	66
33811812	45	33967311	45	34304041	66	34328041	66	343A9042	66
33811822	45	33967317	45	34304061	66	34328061	66	343A9062	66
33812802	45	33967831	45	34304111	66	34328111	66	343A9112	66
33812812	45	33967837	45	34304121	66	34328121	66	343A9122	66
33812822	45	33967841	45	34304131	66	34328131	66	343A9132	66
33813802	45	33967847	45	34304141	66	34328141	66	343A9142	66
33813812	45	33969262	46	34304161	66	34328161	66	343A9162	66

Ref.	P.								
343E7012	66	34728172	67	34967267	67	35308572	76	35343592	76
343E7022	66	34728272	67	34967301	67	35308592	76	35344162	76
343E7032	66	34729172	67	34967307	67	35310262	76	35344172	76
343E7042	66	34729272	67	34967311	67	35310302	76	35344232	76
343E7062	66	34761172	66	34967317	67	35310522	76	35344252	76
343E7112	66	34761272	66	34967831	67	35310542	76	35344302	76
343E7122	66	34764172	66	34967837	67	35310572	76	35344522	76
343E7132	66	34764272	66	34967841	67	35310592	76	35344542	76
343E7142	66	34765172	66	34967847	67	35314162	76	35344572	76
343E7162	66	34765272	66	35208032	77	35314172	76	35344592	76
34656012	67	34766172	66	35208052	77	35314232	76	35390032	77
34656022	67	34766272	66	35209032	77	35314252	76	35390052	77
34656032	67	34801172	67	35209052	77	35314302	76	35656032	77
34656042	67	34801272	67	35212032	77	35314522	76	35656052	77
34656062	67	34801802	67	35212052	77	35314542	76	35707032	77
34656112	67	34801812	67	35302162	76	35314572	76	35707052	77
34656122	67	34801822	67	35302172	76	35314592	76	35711022	70
34656132	67	34802172	67	35302232	76	35328162	76	35711032	77
34656142	67	34802272	67	35302252	76	35328172	76	35711052	70
34656162	67	34802802	67	35302302	76	35328232	76	35711052	77
34702172	66	34802812	67	35302522	76	35328252	76	35712022	70
34702272	66	34802822	67	35302542	76	35328302	76	35712032	77
34704172	66	34803172	67	35302572	76	35328522	76	35712052	70
34704272	66	34803272	67	35302592	76	35328542	76	35712052	77
34705172	66	34803802	67	35304162	76	35328572	76	35713022	70
34705272	66	34803812	67	35304172	76	35328592	76	35713032	77
34707172	66	34803822	67	35304232	76	35342162	76	35713052	70
34707272	66	34907172	67	35304252	76	35342172	76	35713052	77
34711172	66	34907272	67	35304302	76	35342232	76	35714022	70
34711272	66	34927012	67	35304522	76	35342252	76	35714032	77
34712172	66	34927022	67	35304542	76	35342302	76	35714052	70
34712272	66	34927032	67	35304572	76	35342522	76	35714052	77
34713172	66	34927042	67	35304592	76	35342542	76	35715022	71
34713272	66	34927062	67	35308162	76	35342572	76	35715032	77
34714172	67	34927112	67	35308172	76	35342592	76	35715052	71
34714272	67	34927122	67	35308232	76	35343262	76	35715052	77
34719172	67	34927132	67	35308252	76	35343302	76	35755032	77
34719272	67	34927142	67	35308302	76	35343522	76	35755052	71
34726172	67	34927162	67	35308522	76	35343542	76	35755052	77
34726272	67	34967261	67	35308542	76	35343572	76	35756032	77

Reference Number Index (cont.)

Ref.	P.								
35756052	71	36813162	78	60304712	63	60308712	63	60312322	63
35756052	77	37346000	44	60304722	62	60308722	62	60312332	63
35801002	78	37346000	66	60304742	62	60308742	62	60312342	63
35801052	78	37346000	77	60304752	62	60308752	62	60312352	63
35801152	78	37371000	44	60304772	62	60308772	62	60312412	62
35801162	78	37371000	66	60304782	62	60308782	62	60312422	62
35801202	78	37371000	77	60304792	62	60308792	62	60312432	62
35802002	78	37372000	44	60304812	62	60308812	62	60312442	62
35802052	78	37372000	77	60304822	63	60308822	63	60312452	62
35802152	78	37399512	57	60304842	63	60308842	63	60312512	62
35802162	78	37400512	57	60304852	63	60308852	63	60312522	62
35802202	78	37750052	71	60304872	63	60308872	63	60312562	63
35803002	78	37935052	71	60304882	63	60308882	63	60312592	63
35803052	78	37936052	71	60304892	63	60308892	63	60312612	63
35803152	78	60304212	62	60308212	62	60310512	62	60312622	63
35803162	78	60304222	62	60308222	62	60310522	62	60312632	63
35803202	78	60304232	62	60308232	62	60310562	63	60312642	63
35905032	77	60304242	62	60308242	62	60310592	63	60312652	63
35905052	77	60304252	62	60308252	62	60310682	63	60312682	63
35906032	77	60304312	63	60308312	63	60310702	62	60312702	62
35906032	77	60304322	63	60308322	63	60310712	63	60312712	63
35906052	77	60304332	63	60308332	63	60310722	62	60312722	62
35906052	77	60304342	63	60308342	63	60310742	62	60312742	62
35927262	77	60304352	63	60308352	63	60310752	62	60312752	62
35927302	77	60304412	62	60308412	62	60310772	62	60312772	62
35927522	77	60304422	62	60308422	62	60310782	62	60312782	62
35927542	77	60304432	62	60308432	62	60310792	62	60312792	62
35927572	77	60304442	62	60308442	62	60310812	62	60312812	62
35927592	77	60304452	62	60308452	62	60310822	63	60312822	63
36801002	78	60304512	62	60308512	62	60310842	63	60312842	63
36801162	78	60304522	62	60308522	62	60310852	63	60312852	63
36802002	78	60304562	63	60308562	63	60310872	63	60312872	63
36802162	78	60304592	63	60308592	63	60310882	63	60312882	63
36803002	78	60304612	63	60308612	63	60310892	63	60312892	63
36803162	78	60304622	63	60308622	63	60312212	62	60314212	62
36811002	78	60304632	63	60308632	63	60312222	62	60314222	62
36811162	78	60304642	63	60308642	63	60312232	62	60314232	62
36812002	78	60304652	63	60308652	63	60312242	62	60314242	62
36812162	78	60304682	63	60308682	63	60312252	62	60314252	62
36813002	78	60304702	62	60308702	62	60312312	63	60314312	63

Ref.	P.								
60314322	63	65302592	76	79312600	82	79731000	82	79766000	82
60314332	63	65304262	76	79312700	82	79732000	82	79907000	82
60314342	63	65304302	76	79330200	82	79750000	82	79927200	82
60314352	63	65304522	76	79330600	82	79764000	82	79927600	82
60314412	62	65304542	76	79330700	82	79765000	82	79927700	82
60314422	62	65304572	76	79343200	82				
60314432	62	65304592	76	79343600	82				
60314442	62	65308262	76	79343700	82				
60314452	62	65308302	76	79345200	82				
60314512	62	65308522	76	79345600	82				
60314522	62	65308542	76	79345700	82				
60314562	63	65308572	76	79348200	82				
60314592	63	65308592	76	79348600	82				
60314612	63	65312262	76	79348700	82				
60314622	63	65312302	76	79357200	82				
60314632	63	65312522	76	79357600	82				
60314642	63	65312542	76	79357700	82				
60314652	63	65312572	76	79379200	82				
60314682	63	65312592	76	79379600	82				
60314702	62	65314262	76	79379700	82				
60314712	63	65314302	76	793D0200	82				
60314722	62	65314522	76	793D0600	82				
60314742	62	65314542	76	793D0700	82				
60314752	62	65314572	76	793E7200	82				
60314772	62	65314592	76	793E7600	82				
60314782	62	79208000	82	793E7700	82				
60314792	62	79212000	82	793H8200	82				
60314812	62	79302200	82	793H8600	82				
60314822	63	79302600	82	793H8700	82				
60314842	63	79302700	82	79656000	82				
60314852	63	79304200	82	79702000	82				
60314872	63	79304600	82	79707000	82				
60314882	63	79304700	82	79711000	82				
60314892	63	79308200	82	79712000	82				
60952032	55	79308600	82	79713000	82				
65302262	76	79308700	82	79714000	82				
65302302	76	79310200	82	79724050	82				
65302522	76	79310600	82	79727000	82				
65302542	76	79310700	82	79730000	82				
65302572	76	79312200	82	79730010	82				

For other reference numbers starting with 79, 1950 Collection plates, please see the table on page 83 and the example on page 84.

Fontini

FONT DESIGN GROUP, S.L.
C. Anoia, 15
Pol. Ind. Can Bernades-Subirà
08130 Santa Perpètua de Mogoda
Barcelona, España
Tel.: +34 935 743 330



WWW.FONTINI.COM